



QUOTATION

CHM-1000 Automatic blow moulding machine (1-Cavity)



FEATURE

- Automatically arrange the perform after put perform in the auto-loader , no need to put the perform by hand manually .
- Automatically bottle dropping ,no need taking bottle by hand ..
- Adopting high technology Micro PLC controller .Sure the machine working properly and stable.
- Sole heating electricity saving design.25% electricity saving comparing to the other machine.


Price List

Machine Name	No	main parts	Qty	unit price /IDR
CHM-1000 Fully Automatic blow moulding machine 1- Cav	1	Main body (1- Cav)	1	650, 000, 000
		Auto loader	1	
		Bottle conveyor	1	
	2	500ml Blow mould (1- Cav)	1	
		1500ml Blow mould (1- Cav)	1	



Auxiliaries machine	3	30kg 1.6m ³ /min high pressure air compressor	1
		30kg 1.5m ³ /min Air Dryer	1
		0.6M ³ storage tank	1
		30kg air filter	2
		water chiller 2HP	1
Output : PET BOTTLE: 800 - 1000bottles/hr			
FOB Price			650, 000, 000

Auxiliary machine for bottle molding



Tec

Container	Max Volume	L	2
	Max Neck Diameter	mm	30
	Max Container Diameter	mm	100
	Max Container Height	mm	310
	Cavity		1
	Theoretical Output	bph	800-1000(*)



Electrical	Clamping force	KN	300
	Heating Power	Kw	30
	Max Heating Power	Kw	40
Air Compressor	Operating Pressure	Mpa	1.0
	Blowing Pressure	Mpa	3.0
	High Pressure Consuming	L / min	2400-3600(**)
Chiller	Pressure	Mpa	0.3-0.5
	Temperature	°C	10-12
	Flow Rate	L / min	40
Machine	Machine Size	m	2.50x1.2x2.5
	Machine Weight	Kg	1500
(**) Depending on bottle size, shape and weight. (*) Depending on bottle size and operation conditions.			

Technical parameter

Main Features Of The Blow Machine

PNEUMATIC PARTS		
NAME	BRAND	ORIGIN
CYLINDER and VALVE	AIRTAC	TAIWAN
ELECTRICAL PARTS		
PLC	Delta	TAIWAN
SWITCH	SCHNEIDER	FRENCH



Others

Guarantee 1 year.

Payment term : down payment 30 % by T/T, balance 70% before shipment by T/t.

Delivery Date : 90-120 working days after received down payment/bottle drawing approval

Best regards

Yanuaris Bayu S.

081 252 160 260 (Call/Chat WA)