



CV. CARMEL HILL MACHINERY

All Kinds of Packaging, Sealing, and Filling Machine

Jl. IR Rais no.81 MALANG – Jawa Timur

Personal Call / Whatsapp : 081-252-160-260

Email : info@mesin77.com

Model DXDCH-10A Automatic Tea-bag Packaging Machine

Price : IDR 165,000,000 FOB Surabaya



Applications: It is suitable for automatically packaging of steeping products such as fragmental tea, medical tea, coffee ... etc.


Features: The packaging pouches with drawing line and tag. The process of bag making, measuring, filling, sealing, cutting and counting can be done automatically.

1. All stainless steel cover meets to GMP standard.
2. Equipped with antipollution and dustproof device
3. Adjustable measuring cup—adjust the measuring under the case of



downtime

4. Sealing part: roller spend process is special designed and the effect of sealing is very



well.

5. The function of automatic counting is available for customers to pack
6. At the ends of cross sealed of inner and outer bags have oiling holes, regular oil guarantees that the machine operate lubricating, adequate lubrication can reduce the failure rate and improve the service life of the machine
7. The maximum advantage of this machine is that the feeding structure inside the machine beyond the traditonal feeding form, greatly improve the rates of the threads and tags which make the the rates of threads and pre-print



on about 98-99%

8. Minimum sealing temperature variation employs PID temperature, the tolerance is controlled by $\pm$




2%.

9. have gained the European CE certification

Packing materials: Tea leaf filtering paper.

TYPE	DXDCH-10A
Filling range	2-12ml
Bag size	(L)50-80mm (W)45-80mm
Capacity	28-60 bags/min
Power	220V 50HZ 1.5KW
Weight	400KG
Dimension(L*W*H)	1050*910*2010mm3
Features	Inner bag with thread and tag

Depending on product property and filling range



Sample

Garansi : 1 tahun Service, 3 bulan Spare Part

Semua komponen elektrical telah melalui modifikasi disesuaikan dengan keberadaan komponen di Indonesia oleh team teknis CV Carmel Hill Machinery